

Pyraclostrobin 100 g/l CS
Seltima®
Fungicide

Pyraclostrobin 100 g/l CS (Seltima) is a very effective fungicide used to control of Blast in Paddy.

CHEMICAL COMPOSITION

Sr. No.	Ingredient	w/v (g/l)
1	Pyraclostrobin a.i.	100
2	Alcohols, C8-10, ethoxylated propoxylated	100
3	Bleed of aromatic hydrocarbons, naphthalene depleted	100
4	Glycerol	50
5	Polysiloxanates based on isocyanurated hexamethylene diisocyanate	39.8
6	Alcohols, C12-18, ethoxylated propoxylated	37.6
7	N-butanol alkoxylate	11.3
8	Sodium lignosulphonate	9.8
9	Dialkylamine triazine	7.5
10	Silicon dioxide, chemically prepared	2.5
11	Polysaccharide	2.5
12	1,2-benzothiazolin-3-one plus 2-methyl-4-isothiazolin-3-one	2
13	Silicone antifoam	1
14	Colic acid monohydrate	1
15	Water	0.8
Total		1000.00

Density: 1.05 g/cm³
Application & Recommendation for use:
 When used as per the recommendations given below, Pyraclostrobin 100 g/l CS provides effective control of Blast disease in paddy.

Crop	Common name of Disease	Dosage / ha	Waiting Period (Days)
Paddy	Blast	100 1000 500 18	

Time of Application and crop stage: Preventive application before the first symptoms of disease observed. Apply during stem elongation to Flowering stage. During which fungicide should not be applied on any crop. **Weather conditions:** Should be applied preferably in the morning and evening. Avoid application under high wind and if rain is forecasted within 24 hours.

Soil: This is a foliar fungicide. No special recommendation for soil preparation. **Application technique, equipment type, nozzle type:** Ground backpack applicators equipped with hollow cone nozzle using recommended quantity of water to ensure thorough coverage of crops. **Dosage:** 1000 ml of formulation in 500 litres of water per hectare. **Instruction for mixing:** 1. Measure out required quantity of the product and mix it with a small quantity of water. Add the remaining quantity of water as specified through applicator nozzle. 2. Mix directly into sprayer and apply immediately to keep integrity of capsules for best performance and environmental safety. **Use-mixing with pesticides, fertilizers, or adjuvants which contain solvents is not recommended.**

Re-entry period: After spray solution has dried. **PHI:** 15 days. **Application timing:** The product can be applied as prophylactic. Should be applied preferably in the morning and evening. **Precaution including maximum number of sprays:** Sprays 10-15 days interval, not more than two sprays per season. Consecutive sprays with similar mode of action to be avoided.

Storage: During which fungicide should not be applied on any crop. Should not be used before stem elongation and after flowering. **Not to be used on crops other than mentioned on this label leaflet.**

Toxic to aquatic organisms hence should not be used near water bodies or Pisciculture area

Storage: 1. The packages containing the fungicide should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles, particularly articles of food or shall be kept in separate airtight under lock and key. 2. The rooms or premises meant for storing the fungicide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapor.

Safety Precautions: 1. Avoid inhalation and skin contact while diluting because of spillage or splash. Do not mix with bare hands. 2. The user should use full protective clothing, which includes rubber gloves, boots, face shield and overall or rubber apron or hat.

Poisoning Symptoms: The early symptoms may be respiratory tract pain, eye pain, pruritus, skin redness, weakness, headache and dizziness. **First Aid:** Ingested: If person is conscious and alert, rinse mouth with water and give 1 or 2 glasses of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician. If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. **First Aid:** In case of skin contact: Wash thoroughly with soap and plenty of water. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately. **In case of eye contact:** Rinse gently with plenty of water for at least 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist.

Antidote to Physician: Inform of poisoning/treat symptomatically. **Antidote:** No specific antidote is known. **Warning:** Dangerous to re-use empty containers.

Date of Disposal of Used Containers: 1. Packages or surplus containers and washings from the machines and containers should be disposed of in a safe manner as to prevent environmental and water pollution. 2. The used packages should not be left outside to prevent their reuse. 3. Packages shall be broken and buried away from habitation.

Name of the manufacturer: BASF Espanola S.L., Poligon Industrial San Vicente, 08756 Castellbisbal / Spain

Imported, Re-packed and Marketed by: BASF India Limited, Registered office: 1st Floor, Vijaya Towers, Plot No. 12, "G" Block, Bandra Kurla Complex, Bandra (East), Mumbai - 400011. Factory: Unit No. 4, Village Nimba, P. O. Mubarakpur-142021, Tehal Dera Bassi, Distt. Mohal, Punjab.

English

पाइक्लोस्ट्रोबिन १०० ग्रा/लि सीएस

सेल्टिमा™
फंगिसाइड

पाइक्लोस्ट्रोबिन १०० ग्रा/ लि (सीएस) फीएलएस में बाजार में के सिंगल के लिए एक नए की प्रभावी फंगिसाइड है।

रासायनिक संघटन:

क्रमांक	सामग्री	ग्रा/ ल (ग्रा./ लि.)
1	पाइक्लोस्ट्रोबिन a.i.	100
2	अल्कोहल, C8-10, एथॉक्सीलेटेड प्रोपॉक्सीलेटेड	100
3	ब्लेंड ऑफ अरोमैटिक हाइड्रोकार्बन, नैफ्थालीन डिप्लेटेड	100
4	ग्लिसॉल	50
5	पोलिसिलोक्सानेस बेस्ड ऑन इसोसायनुरेटेड हेक्साहेक्सामेथिलेन डिसाइनैट	39.8
6	अल्कोहल, C12-18, एथॉक्सीलेटेड प्रोपॉक्सीलेटेड	37.6
7	N-butanol alkoxylate	11.3
8	Sodium lignosulphonate	9.8
9	Dialkylamine triazine	7.5
10	Silicon dioxide, chemically prepared	2.5
11	Polysaccharide	2.5
12	1,2-benzothiazolin-3-one plus 2-methyl-4-isothiazolin-3-one	2
13	Silicone antifoam	1
14	Colic acid monohydrate	1
15	Water	0.8
Total		1000.00

Density: 1.05 g/cm³
Application & Recommendation for use:
 When used as per the recommendations given below, Pyraclostrobin 100 g/l CS provides effective control of Blast disease in paddy.

Crop	Common name of Disease	Dosage / ha	Waiting Period (Days)
Paddy	Blast	100 1000 500 18	

Time of Application and crop stage: Preventive application before the first symptoms of disease observed. Apply during stem elongation to Flowering stage. During which fungicide should not be applied on any crop. **Weather conditions:** Should be applied preferably in the morning and evening. Avoid application under high wind and if rain is forecasted within 24 hours.

Soil: This is a foliar fungicide. No special recommendation for soil preparation. **Application technique, equipment type, nozzle type:** Ground backpack applicators equipped with hollow cone nozzle using recommended quantity of water to ensure thorough coverage of crops. **Dosage:** 1000 ml of formulation in 500 litres of water per hectare. **Instruction for mixing:** 1. Measure out required quantity of the product and mix it with a small quantity of water. Add the remaining quantity of water as specified through applicator nozzle. 2. Mix directly into sprayer and apply immediately to keep integrity of capsules for best performance and environmental safety. **Use-mixing with pesticides, fertilizers, or adjuvants which contain solvents is not recommended.**

Re-entry period: After spray solution has dried. **PHI:** 15 days. **Application timing:** The product can be applied as prophylactic. Should be applied preferably in the morning and evening. **Precaution including maximum number of sprays:** Sprays 10-15 days interval, not more than two sprays per season. Consecutive sprays with similar mode of action to be avoided.

Storage: During which fungicide should not be applied on any crop. Should not be used before stem elongation and after flowering. **Not to be used on crops other than mentioned on this label leaflet.**

Toxic to aquatic organisms hence should not be used near water bodies or Pisciculture area

Storage: 1. The packages containing the fungicide should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles, particularly articles of food or shall be kept in separate airtight under lock and key. 2. The rooms or premises meant for storing the fungicide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapor.

Safety Precautions: 1. Avoid inhalation and skin contact while diluting because of spillage or splash. Do not mix with bare hands. 2. The user should use full protective clothing, which includes rubber gloves, boots, face shield and overall or rubber apron or hat.

Poisoning Symptoms: The early symptoms may be respiratory tract pain, eye pain, pruritus, skin redness, weakness, headache and dizziness. **First Aid:** Ingested: If person is conscious and alert, rinse mouth with water and give 1 or 2 glasses of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician. If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. **First Aid:** In case of skin contact: Wash thoroughly with soap and plenty of water. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately. **In case of eye contact:** Rinse gently with plenty of water for at least 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist.

Antidote to Physician: Inform of poisoning/treat symptomatically. **Antidote:** No specific antidote is known. **Warning:** Dangerous to re-use empty containers.

Date of Disposal of Used Containers: 1. Packages or surplus containers and washings from the machines and containers should be disposed of in a safe manner as to prevent environmental and water pollution. 2. The used packages should not be left outside to prevent their reuse. 3. Packages shall be broken and buried away from habitation.

Name of the manufacturer: BASF Espanola S.L., Poligon Industrial San Vicente, 08756 Castellbisbal / Spain

Imported, Re-packed and Marketed by: BASF India Limited, Registered office: 1st Floor, Vijaya Towers, Plot No. 12, "G" Block, Bandra Kurla Complex, Bandra (East), Mumbai - 400011. Factory: Unit No. 4, Village Nimba, P. O. Mubarakpur-142021, Tehal Dera Bassi, Distt. Mohal, Punjab.

English

पायक्लोस्ट्रोबिन १०० ग्रा/ लि सीएस

सेल्टिमा™
फंगिसाइड

पायक्लोस्ट्रोबिन १०० ग्रा/ लि (सीएस) फीएलएस में बाजार में के सिंगल के लिए एक नए की प्रभावी फंगिसाइड है।

रासायनिक संघटन:

क्रमांक	सामग्री	ग्रा/ ल (ग्रा./ लि.)
1	पाइक्लोस्ट्रोबिन a.i.	100
2	अल्कोहल, C8-10, एथॉक्सीलेटेड प्रोपॉक्सीलेटेड	100
3	ब्लेंड ऑफ अरोमैटिक हाइड्रोकार्बन, नैफ्थालीन डिप्लेटेड	100
4	ग्लिसॉल	50
5	पोलिसिलोक्सानेस बेस्ड ऑन इसोसायनुरेटेड हेक्साहेक्सामेथिलेन डिसाइनैट	39.8
6	अल्कोहल, C12-18, एथॉक्सीलेटेड प्रोपॉक्सीलेटेड	37.6
7	N-butanol alkoxylate	11.3
8	Sodium lignosulphonate	9.8
9	Dialkylamine triazine	7.5
10	Silicon dioxide, chemically prepared	2.5
11	Polysaccharide	2.5
12	1,2-benzothiazolin-3-one plus 2-methyl-4-isothiazolin-3-one	2
13	Silicone antifoam	1
14	Colic acid monohydrate	1
15	Water	0.8
Total		1000.00

Density: 1.05 g/cm³
Application & Recommendation for use:
 When used as per the recommendations given below, Pyraclostrobin 100 g/l CS provides effective control of Blast disease in paddy.

Crop	Common name of Disease	Dosage / ha	Waiting Period (Days)
Paddy	Blast	100 1000 500 18	

Time of Application and crop stage: Preventive application before the first symptoms of disease observed. Apply during stem elongation to Flowering stage. During which fungicide should not be applied on any crop. **Weather conditions:** Should be applied preferably in the morning and evening. Avoid application under high wind and if rain is forecasted within 24 hours.

Soil: This is a foliar fungicide. No special recommendation for soil preparation. **Application technique, equipment type, nozzle type:** Ground backpack applicators equipped with hollow cone nozzle using recommended quantity of water to ensure thorough coverage of crops. **Dosage:** 1000 ml of formulation in 500 litres of water per hectare. **Instruction for mixing:** 1. Measure out required quantity of the product and mix it with a small quantity of water. Add the remaining quantity of water as specified through applicator nozzle. 2. Mix directly into sprayer and apply immediately to keep integrity of capsules for best performance and environmental safety. **Use-mixing with pesticides, fertilizers, or adjuvants which contain solvents is not recommended.**

Re-entry period: After spray solution has dried. **PHI:** 15 days. **Application timing:** The product can be applied as prophylactic. Should be applied preferably in the morning and evening. **Precaution including maximum number of sprays:** Sprays 10-15 days interval, not more than two sprays per season. Consecutive sprays with similar mode of action to be avoided.

Storage: During which fungicide should not be applied on any crop. Should not be used before stem elongation and after flowering. **Not to be used on crops other than mentioned on this label leaflet.**

Toxic to aquatic organisms hence should not be used near water bodies or Pisciculture area

Storage: 1. The packages containing the fungicide should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles, particularly articles of food or shall be kept in separate airtight under lock and key. 2. The rooms or premises meant for storing the fungicide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapor.

Safety Precautions: 1. Avoid inhalation and skin contact while diluting because of spillage or splash. Do not mix with bare hands. 2. The user should use full protective clothing, which includes rubber gloves, boots, face shield and overall or rubber apron or hat.

Poisoning Symptoms: The early symptoms may be respiratory tract pain, eye pain, pruritus, skin redness, weakness, headache and dizziness. **First Aid:** Ingested: If person is conscious and alert, rinse mouth with water and give 1 or 2 glasses of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician. If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. **First Aid:** In case of skin contact: Wash thoroughly with soap and plenty of water. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately. **In case of eye contact:** Rinse gently with plenty of water for at least 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist.

Antidote to Physician: Inform of poisoning/treat symptomatically. **Antidote:** No specific antidote is known. **Warning:** Dangerous to re-use empty containers.

Date of Disposal of Used Containers: 1. Packages or surplus containers and washings from the machines and containers should be disposed of in a safe manner as to prevent environmental and water pollution. 2. The used packages should not be left outside to prevent their reuse. 3. Packages shall be broken and buried away from habitation.

Name of the manufacturer: BASF Espanola S.L., Poligon Industrial San Vicente, 08756 Castellbisbal / Spain

Imported, Re-packed and Marketed by: BASF India Limited, Registered office: 1st Floor, Vijaya Towers, Plot No. 12, "G" Block, Bandra Kurla Complex, Bandra (East), Mumbai - 400011. Factory: Unit No. 4, Village Nimba, P. O. Mubarakpur-142021, Tehal Dera Bassi, Distt. Mohal, Punjab.

English

पायक्लोस्ट्रोबिन १०० ग्रा/ लि सीएस

सेल्टिमा™
फंगिसाइड

पायक्लोस्ट्रोबिन १०० ग्रा/ लि (सीएस) फीएलएस में बाजार में के सिंगल के लिए एक नए की प्रभावी फंगिसाइड है।

रासायनिक संघटन:

क्रमांक	सामग्री	ग्रा/ ल (ग्रा./ लि.)
1	पाइक्लोस्ट्रोबिन a.i.	100
2	अल्कोहल, C8-10, एथॉक्सीलेटेड प्रोपॉक्सीलेटेड	100
3	ब्लेंड ऑफ अरोमैटिक हाइड्रोकार्बन, नैफ्थालीन डिप्लेटेड	100
4	ग्लिसॉल	50
5	पोलिसिलोक्सानेस बेस्ड ऑन इसोसायनुरेटेड हेक्साहेक्सामेथिलेन डिसाइनैट	39.8
6	अल्कोहल, C12-18, एथॉक्सीलेटेड प्रोपॉक्सीलेटेड	37.6
7	N-butanol alkoxylate	11.3
8	Sodium lignosulphonate	9.8
9	Dialkylamine triazine	7.5
10	Silicon dioxide, chemically prepared	2.5
11	Polysaccharide	2.5
12	1,2-benzothiazolin-3-one plus 2-methyl-4-isothiazolin-3-one	2
13	Silicone antifoam	1
14	Colic acid monohydrate	1
15	Water	0.8
Total		1000.00

Density: 1.05 g/cm³
Application & Recommendation for use:
 When used as per the recommendations given below, Pyraclostrobin 100 g/l CS provides effective control of Blast disease in paddy.

Crop	Common name of Disease	Dosage / ha	Waiting Period (Days)
Paddy	Blast	100 1000 500 18	

Time of Application and crop stage: Preventive application before the first symptoms of disease observed. Apply during stem elongation to Flowering stage. During which fungicide should not be applied on any crop. **Weather conditions:** Should be applied preferably in the morning and evening. Avoid application under high wind and if rain is forecasted within 24 hours.

Soil: This is a foliar fungicide. No special recommendation for soil preparation. **Application technique, equipment type, nozzle type:** Ground backpack applicators equipped with hollow cone nozzle using recommended quantity of water to ensure thorough coverage of crops. **Dosage:** 1000 ml of formulation in 500 litres of water per hectare. **Instruction for mixing:** 1. Measure out required quantity of the product and mix it with a small quantity of water. Add the remaining quantity of water as specified through applicator nozzle. 2. Mix directly into sprayer and apply immediately to keep integrity of capsules for best performance and environmental safety. **Use-mixing with pesticides, fertilizers, or adjuvants which contain solvents is not recommended.**

Re-entry period: After spray solution has dried. **PHI:** 15 days. **Application timing:** The product can be applied as prophylactic. Should be applied preferably in the morning and evening. **Precaution including maximum number of sprays:** Sprays 10-15 days interval, not more than two sprays per season. Consecutive sprays with similar mode of action to be avoided.

Storage: During which fungicide should not be applied on any crop. Should not be used before stem elongation and after flowering. **Not to be used on crops other than mentioned on this label leaflet.**

Toxic to aquatic organisms hence should not be used near water bodies or Pisciculture area

Storage: 1. The packages containing the fungicide should be stored in original containers in separate rooms or premises away from the rooms or premises used for storing other articles, particularly articles of food or shall be kept in separate airtight under lock and key. 2. The rooms or premises meant for storing the fungicide shall be well built, dry, well lit and ventilated and of sufficient dimension to avoid contamination with vapor.

Safety Precautions: 1. Avoid inhalation and skin contact while diluting because of spillage or splash. Do not mix with bare hands. 2. The user should use full protective clothing, which includes rubber gloves, boots, face shield and overall or rubber apron or hat.

Poisoning Symptoms: The early symptoms may be respiratory tract pain, eye pain, pruritus, skin redness, weakness, headache and dizziness. **First Aid:** Ingested: If person is conscious and alert, rinse mouth with water and give 1 or 2 glasses of water to drink. Never give anything by mouth to an unconscious person. Call the doctor. Do not induce vomiting until and unless desired by attending physician. If inhaled: Take the patient to fresh air and take care of body temperature. If patient is not breathing or breathing with difficulty, give artificial respiration, preferably with mouth to mouth breathing. **First Aid:** In case of skin contact: Wash thoroughly with soap and plenty of water. If pain, redness or irritation persists, consult a doctor. All the contaminated clothes should be segregated and thoroughly washed with soap and water separately. **In case of eye contact:** Rinse gently with plenty of water for at least 15 minutes. If pain, irritation, redness or photophobia persists. Consult eye specialist.

Antidote to Physician: Inform of poisoning/treat symptomatically. **Antidote:** No specific antidote is known. **Warning:** Dangerous to re-use empty containers.

Date of Disposal of Used Containers: 1. Packages or surplus containers and washings from the machines and containers should be disposed of in a safe manner as to prevent environmental and water pollution. 2. The used packages should not be left outside to prevent their reuse. 3. Packages shall be broken and buried away from habitation.

Name of the manufacturer: BASF Espanola S.L., Poligon Industrial San Vicente, 08756 Castellbisbal / Spain

Imported, Re-packed and Marketed by: BASF India Limited, Registered office: 1st Floor, Vijaya Towers, Plot No. 12, "G" Block, Bandra Kurla Complex, Bandra (East), Mumbai - 400011. Factory: Unit No. 4, Village Nimba, P. O. Mubarakpur-142021, Tehal Dera Bassi, Distt. Mohal, Punjab.

English

पायक्लोस्ट्रोबिन १०० ग्रा/ लि सीएस

सेल्टिमा™
फंगिसाइड

पायक्लोस्ट्रोबिन १०० ग्रा/ लि (सीएस) फीएलएस में बाजार में के सिंगल के लिए एक नए की प्रभावी फंगिसाइड है।

रासायनिक संघटन:

क्रमांक	सामग्री	ग्रा/ ल (ग्रा./ लि.)
1	पाइक्लोस्ट्रोबिन a.i.	100
2	अल्कोहल, C8-10, एथॉक्सीलेटेड प्रोपॉक्सीलेटेड	100
3	ब्लेंड ऑफ अरोमैटिक हाइड्रोकार्बन, नैफ्थालीन डिप्लेटेड	100
4	ग्लिसॉल	50
5	पोलिसिलोक्सानेस बेस्ड ऑन इसोसायनुरेटेड हेक्साहेक्सामेथिलेन डिसाइनैट	39.8
6	अल्कोहल, C12-18, एथॉक्सीलेटेड प्रोपॉक्सीलेटेड	37.6
7	N-butanol alkoxylate	11.3
8	Sodium lignosulphonate	9.8
9	Dialkylamine triazine	7.5
10	Silicon dioxide, chemically prepared	2.5
11	Polysaccharide	2.5
12	1,2-benzothiazolin-3-one plus 2-methyl-4-isothiazolin-3-one	2
13	Silicone antifoam	1
14	Colic acid monohydrate	1
15	Water	0.8
Total		1000.00

Density: 1.05 g/cm³
Application & Recommendation for use:
 When used as per the recommendations given below, Pyraclostrobin 100 g/l CS provides effective control of Blast disease in paddy.

Crop	Common name of Disease	Dosage / ha	Waiting Period (Days)
Paddy	Blast	100 1000 500 18	

Time of Application and crop stage: Preventive application before the first symptoms of disease observed. Apply during stem elongation to Flowering stage. During which fungicide should not be applied on any crop.