

Safety data sheet

Page: 1/15

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.06.2018

Version: 2.0

Product: **Stomp 30 % EC-J**

(ID no. 30466764/SDS_CPA_00/EN)

Date of print 15.11.2021

1. Identification

Product identifier

Stomp 30 % EC-J

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Asp. Tox. 1

Flam. Liq. 4

Acute Tox. 5 (oral)

Eye Dam./Irrit. 1

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.06.2018

Version: 2.0

Product: **Stomp 30 % EC-J**

(ID no. 30466764/SDS_CPA_00/EN)

Date of print 15.11.2021

STOT SE 3 (Vapours may cause drowsiness and dizziness.)

STOT SE 3 (irritating to respiratory system)

Aquatic Acute 1

Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elementsGlobally Harmonized System (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H227	Combustible liquid.
H318	Causes serious eye damage.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.

Precautionary Statements (Prevention):

P280	Wear protective gloves/clothing/eye protection.
P271	Use only outdoors or in a well-ventilated area.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/gas/mist/vapours.

Precautionary Statements (Response):

 BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.06.2018

Version: 2.0

Product: **Stomp 30 % EC-J**

(ID no. 30466764/SDS_CPA_00/EN)

Date of print 15.11.2021

P310	Immediately call a POISON CENTER or doctor/physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P391	Collect spillage.
P331	Do NOT induce vomiting.
P370 + P378	In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.

Precautionary Statements (Storage):

P233	Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	-------------------------------------------------------------------------------

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylylidine

According to UN GHS criteria

Hazard determining component(s) for labelling: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylylidine, Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified

Other hazardsAccording to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients
Substances

Not applicable

MixturesChemical nature

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.06.2018

Version: 2.0

Product: **Stomp 30 % EC-J**

(ID no. 30466764/SDS_CPA_00/EN)

Date of print 15.11.2021

crop protection product, herbicide, Emulsifiable concentrate (EC)

Hazardous ingredients (GHS)

According to UN GHS criteria

pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

Content (W/W): 30 %	Acute Tox. 5 (oral)
CAS Number: 40487-42-1	Skin Sens. 1B
EC-Number: 254-938-2	Aquatic Acute 1
INDEX-Number: 609-042-00-X	Aquatic Chronic 1
	M-factor acute: 100
	M-factor chronic: 10
	H303, H317, H400, H410

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified

Content (W/W): < 70 %	Asp. Tox. 1
CAS Number: 64742-95-6	Flam. Liq. 1
EC-Number: 265-199-0	Skin Corr./Irrit. 2
	STOT SE 3 (drowsiness and dizziness)
	Aquatic Acute 2
	Aquatic Chronic 2
	H224, H315, H304, H336, H401, H411
	EUH066

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures**Description of first aid measures**

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.06.2018

Product: **Stomp 30 % EC-J**

Version: 2.0

(ID no. 30466764/SDS_CPA_00/EN)

Date of print 15.11.2021

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Special hazards arising from the substance or mixture

carbon monoxide, Carbon dioxide, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 15.06.2018
Product: **Stomp 30 % EC-J**

Version: 2.0

(ID no. 30466764/SDS_CPA_00/EN)

Date of print 15.11.2021

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Protect from temperatures below: 4 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

| 64742-95-6: Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified

Exposure controls

Personal protective equipment

Respiratory protection:

 BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.06.2018

Version: 2.0

Product: **Stomp 30 % EC-J**

(ID no. 30466764/SDS_CPA_00/EN)

Date of print 15.11.2021

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid
Colour:	dark amber
Odour:	of the solvent contained in the product
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 6 - 8 (10 %(m), 20 °C) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
Freezing point:	< 0 °C Information based on the main components.
onset of boiling:	approx. 160 °C (1.013 hPa) Information applies to the solvent.
Flash point:	approx. 70 °C
Evaporation rate:	not applicable
Flammability:	Flammable.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.06.2018

Version: 2.0

Product: **Stomp 30 % EC-J**

(ID no. 30466764/SDS_CPA_00/EN)

Date of print 15.11.2021

Lower explosion limit:	0,6 %(V) Information applies to the solvent.	
Upper explosion limit:	7 %(V) Information applies to the solvent.	
Ignition temperature:	> 450 °C Information applies to the solvent.	(DIN 51794)
Vapour pressure:	approx. 1 kPa (20 °C)	
Density:	Information applies to the solvent. approx. 0,98 g/cm ³ (20 °C)	
Relative vapour density (air):	not applicable	
Solubility in water:	emulsifiable	
Partitioning coefficient n-octanol/water (log Kow):	not applicable	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	not determined	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	

Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

Hazardous decomposition products

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 15.06.2018
Product: **Stomp 30 % EC-J**

Version: 2.0

(ID no. 30466764/SDS_CPA_00/EN)

Date of print 15.11.2021

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): 3.366 mg/kg

LC50 rat (by inhalation): > 9,38 mg/l 4 h

LD50 rat (dermal): > 2.000 mg/kg

No mortality was observed.

Irritation

Assessment of irritating effects:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Not irritating to the skin. May cause severe damage to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation rabbit: Risk of serious damage to eyes.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Respiratory/Skin sensitization

Assessment of sensitization:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

guinea pig: Skin sensitizing effects were not observed in animal studies.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Information on: Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified

Assessment of carcinogenicity:

The substance showed no carcinogenic activity in animals after chronic administration to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract. Possible narcotic effects (drowsiness or dizziness).

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

Assessment of repeated dose toxicity:

No substance-specific organotoxicity was observed after repeated administration to animals. Adaptive effects were observed after repeated exposure in animal studies.

Information on: Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified

Assessment of repeated dose toxicity:

Effects on the kidney of male rats were detected after repeated exposure. These effects are specific for the male rat and are known to be of no relevance to humans. After repeated exposure the prominent effect is local irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

May also damage the lung at swallowing (aspiration hazard).

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Has a degreasing effect on skin.

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC50 (96 h) 1,5 mg/l, Oncorhynchus mykiss

Aquatic invertebrates:

EC50 (48 h) 1,76 mg/l, Daphnia magna

Aquatic plants:

EC50 (72 h) 0,098 mg/l (growth rate), Chlamydomonas reinhardtii

EC10 (72 h) 0,029 mg/l (growth rate), Chlamydomonas reinhardtii

| *Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine*

Chronic toxicity to fish:

| *No observed effect concentration (179 d) 0,02 mg/l, Brachydanio rerio (semistatic)*

| *No observed effect concentration (288 d) 0,006 mg/l, Pimephales promelas*

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.06.2018

Product: **Stomp 30 % EC-J**

Version: 2.0

(ID no. 30466764/SDS_CPA_00/EN)

Date of print 15.11.2021

| *Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine*
| *Chronic toxicity to aquatic invertebrates:*
No observed effect concentration (21 d) 0,0145 mg/l, Daphnia magna

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

Bioaccumulation potential:

Bioconcentration factor: 3.300

Based on a weight of evidence, the compound will not bioaccumulate.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin (ISO); N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine

Assessment transport between environmental compartments:

Volatility: The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

BASF Safety data sheet according to UN GHS 4th rev.
 Date / Revised: 15.06.2018
 Product: **Stomp 30 % EC-J**

Version: 2.0

(ID no. 30466764/SDS_CPA_00/EN)

Date of print 15.11.2021

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:
 Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
 Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

RID

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Inland waterway transport

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.06.2018

Version: 2.0

Product: **Stomp 30 % EC-J**

(ID no. 30466764/SDS_CPA_00/EN)

Date of print 15.11.2021

ADN

UN number: UN3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN)
 Transport hazard class(es): 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

Sea transport**IMDG**

UN number: UN 3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN)
 Transport hazard class(es): 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Marine pollutant: YES
 Special precautions for user: None known

Air transport**IATA/ICAO**

UN number: UN 3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN)
 Transport hazard class(es): 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Special precautions for user: None known

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
 Shipment approved: Not evaluated
 Pollution name: Not evaluated
 Pollution category: Not evaluated

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.06.2018

Product: **Stomp 30 % EC-J**

Version: 2.0

(ID no. 30466764/SDS_CPA_00/EN)

Date of print 15.11.2021

Ship Type:

Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

For the user of this plant-protective product applies: 'To avoid risks to man and the environment, comply with the instructions for use.' (Directive 1999/45/EC, Article 10, No. 1.2)

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Asp. Tox.	Aspiration hazard
Flam. Liq.	Flammable liquids
Acute Tox.	Acute toxicity
Eye Dam./Irrit.	Serious eye damage/eye irritation
STOT SE	Specific target organ toxicity — single exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Sens.	Skin sensitization
Skin Corr./Irrit.	Skin corrosion/irritation
H303	May be harmful if swallowed.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H224	Extremely flammable liquid and vapour.
H315	Causes skin irritation.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.