

Size : 310mm (w) x 215mm (h)

## Valor® 32

Pendimethalin 30% + Imazethapyr 2% EC  
Selective Herbicide

**Valor® 32** is a combination product, containing 30% Pendimethalin and 2% Imazethapyr as an active ingredients. It is a selective herbicide, which controls susceptible annual grasses and broad leaf weeds as they germinate. It is recommended to use in Soybean.

### Chemical Composition :

S. No.	Ingredient	Percent (w/w)
1.	Imazethapyr a.i.	2.00
2.	Pendimethalin a.i.	30.00
3.	N-methyl-2-pyridone	14.00
4.	Emulsifier (An ionic and non-ionic blend of alkyl aryl sulphonate and alkyl aryl ether)	10.00
5.	Aromax	Q.S.
	Total	100.00

### Recommendation for use :

Crop	Name of Weeds	Dosage per hectare	Waiting Period (L)
Soybean	Echinochloa crusgalli, (750+50)	2.5-3.0	500-600 90 days
Digera arvensis,	to		
Commillina	(900+60)		
benghalensis			
Amaranthus viridis			
Portulaca oleracea			

**Not to be used on crops other than specified on this labelleaflet.**  
**Method of application :** Incorporate the herbicide in soil before the sowing of crop.

**Preparation of spray solution :** Take the measured quantity of **Valor® 32** and add it in a small quantity of water. Mix thoroughly and then add the remaining quantity of water while stirring vigorously.

### Spraying instructions :

1. Ensure thorough land preparation. Spray uniformly without overlapping.
2. Do not spray against the wind direction.
3. Clean the sprayer thoroughly before and after use.

**Spraying equipment :** High volume sprayer like knapsack sprayer or foot sprayer fitted with flat fan nozzle.

**Precaution :** Avoid contact with skin and inhalation of toxic material. Use protective clothing like gloves, apron, boots, etc., while handling the product. Change out of working clothes and take a bath or shower after handling or applying the product. Launder protective clothing before re-use. Do not contaminate water, food or feed by storage or disposal. Store in a secure, dry, well-ventilated separate room, building or covered area. Keep out of reach of children.

### First Aid :

**Skin contact :** Remove contaminated clothing and wash skin thoroughly with soap and water.

**Ingestion :** Do not induce vomiting or give anything by mouth. Get medical attention.

**Inhalation :** Remove a person to fresh air. Not a hazard under normal use condition.

**Eye contact :** Immediately flush eyes with plenty of water for at least 5 minutes. Get medical attention if irritation occurs.

**Symptoms of poisoning :** Lethargy, Salivation and respiratory distress may occur.

**Antidote :** There is no specific antidote. Treat symptomatically.

**Storage :** The packages containing Herbicides shall be stored in separate rooms away from the rooms used for other articles, under lock and key. The room for storing shall be well built, well lit, well ventilated and of sufficient dimensions. Store away from the children, domestic animals, food and feed articles.

**Disposal :** To avoid disposal, all attempts should be made to use the product completely, in accordance with its registered use. If this is not possible, handle with care and dispose in safe manner.

Dispose off packages or surplus materials and washings in a safe manner so as to prevent environment or water pollution. The used packages shall not be left out side to prevent their reuse. The packages should be broken and buried away from habitation or suitably incinerated.

**Manufactured by :** Saraswat Agro Chemicals (India) Pvt. Ltd. **Registered office :** Village Dao Majra, Kharar Kurali Road, Distt. Mohali, Punjab - 140301. **Factory :** Lane-2, Phase-1, SIDCO Industrial Complex, Bari Brahma, Dist. Jammu (J&K).

**Marketed by :** BASF India Limited, Registered office : The Capital, 1204-C, 12<sup>th</sup> floor, Plot no.C-70, 'G' Block, Bandra (East), Mumbai-400051.

## वेलर™ ३२

Pendimethalin 30% + Imazethapyr 2% ईसी  
चुनिदा खार्पतानाशक

वेलर ३२ में 30% पेंडिमेथलिन और 2% इमाजेथपर के सक्रिय घटक के रूप में मिलाए गये हैं। यह एक चुनिदा खार्पतानाशक है जो जल के साथ उग आए वाले बहुतायी घासी और ऊपरी वाले ऊपरातरों को नियंत्रित करने के लिए इस्तेमाल किया जाता है। इसे सायावीन की फसल के लिए इस्तेमाल करने की जाती है।

**उपयोग के लिए क्रमांक :**

क्र.	घटक	प्रतिशत व/व	टक्करी व/व
1.	इमाजेथपर क्रीयाशील घटक	२.००	२.००
2.	पेंडिमेथलिन क्रीयाशील घटक	३०.००	३०.००
३.	एन-इनोनिक-२-पायरोएलिडोन	१४.००	१४.००
४.	इमिसिसियर (अल्काइल अराइल सल्फोनेट आणि अल्काइल अराइल ईथर यांची आयनिक व ऐर-आयनिक निश्चिक)	१०.००	१०.००
५.	ऐरोजेस	१००.००	१००.००

प्रयोगी वाली फसल : कुल १००.००

प्रयोगी वाली शिफारस :

प्रयोगी के लिए सुधाराव :

उपयोग के लिए सुधाराव :

सोयाबीन स्वाक्षर :

सोयाबीन स्वाक्षर :

हा तेल/फिलेट मध्ये उल्लेख केलेल्या फीकांव्यातिरिक्त अन्य कांवार वापर नव्ये।

वापरातील फैक्टरी प्रक्रिया :

वापरातील

